

**E-Series**  
超性价比 超性能



**HIGH COST-EFFECTIVE**



**超硬·高精密·高速铣刀**  
High Precision & High Speed Cutting


**E-系列** 标准形铣刀

您的非标品会是我们的标准品!



**HIGH COST-EFFECTIVE**  
**超性价比**

**LOW Price**  
**HIGH Performance**




# E-SERIES

**2HRBE 2HCBE 2HCEE 4HCEE 4HEME**  
**3NSE 4NSE 2NCRE 4NCRE 4RCUE**

## 2HRBE

2 Flutes Rib Ball End Mills for Heavy Cuts

2刃经济型 超硬深沟型 球头铣刀



- 中高硬度钢 (HRc~52) 预硬钢类、碳素钢、模具钢等, 多种材料加工铣刀
- 含硅涂层处理, 耐磨性非常优秀。
- 经济型铣刀可使加工成本大大降低。
- 采用高抗折力超微粒子、超硬合金 (0.5 $\mu$ m), 使刃部最小化。
- **Endmills for various work materials(~HRc52), pre-hardened steel, carbon steel, mold steel.**
- Good wear resistance by high quality Si-based PVD coating.
- Suitable shape is designed for tooling in wide areas.
- Minimize fracturing by high TRS fine(0.5 $\mu$ m) WC grade.



D Size	D Tolerance
$\varnothing$ 0.2 ~ 5	+0 ~ -0.01mm
$\varnothing$ 6 ~ 12	-0.005 ~ -0.015mm

单位: mm

Order Number	刃径 Diameter R · D	刃长 Length of cut L1	有效长 Effective Length L2	全长 Overall Length L	柄径 Shank Dia d	备注
2HRBE 002 005 S04	0.1R X 0.2	0.2	0.5	40	4	
2HRBE 002 010 S04	0.1R X 0.2	0.2	1	40	4	
2HRBE 002 015 S04	0.1R X 0.2	0.2	1.5	40	4	
2HRBE 002 020 S04	0.1R X 0.2	0.2	2	40	4	
2HRBE 003 010 S04	0.15R X 0.3	0.3	1	40	4	
2HRBE 003 015 S04	0.15R X 0.3	0.3	1.5	40	4	
2HRBE 003 020 S04	0.15R X 0.3	0.3	2	40	4	
2HRBE 003 030 S04	0.15R X 0.3	0.3	3	40	4	
2HRBE 003 040 S04	0.15R X 0.3	0.3	4	40	4	
2HRBE 004 010 S04	0.2R X 0.4	0.4	1	40	4	
2HRBE 004 020 S04	0.2R X 0.4	0.4	2	40	4	
2HRBE 004 030 S04	0.2R X 0.4	0.4	3	40	4	
2HRBE 004 040 S04	0.2R X 0.4	0.4	4	40	4	
2HRBE 004 050 S04	0.2R X 0.4	0.4	5	40	4	
2HRBE 004 060 S04	0.2R X 0.4	0.4	6	40	4	
2HRBE 004 080 S04	0.2R X 0.4	0.4	8	40	4	
2HRBE 005 010 S04	0.25R X 0.5	0.5	1	45	4	
2HRBE 005 020 S04	0.25R X 0.5	0.5	2	45	4	
2HRBE 005 030 S04	0.25R X 0.5	0.5	3	45	4	

Order Number	刃径 Diameter R · D	刃长 Length of cut L1	有效长 Effective Length L2	全长 Overall Length L	柄径 Shank Dia d	备注
2HRBE 005 040 S04	0.25R X 0.5	0.5	4	45	4	
2HRBE 005 050 S04	0.25R X 0.5	0.5	5	45	4	
2HRBE 005 060 S04	0.25R X 0.5	0.5	6	45	4	
2HRBE 005 080 S04	0.25R X 0.5	0.5	8	45	4	
2HRBE 005 100 S04	0.25R X 0.5	0.5	10	45	4	
2HRBE 005 120 S04	0.25R X 0.5	0.5	12	45	4	
2HRBE 006 010 S04	0.3R X 0.6	0.6	1	45	4	
2HRBE 006 020 S04	0.3R X 0.6	0.6	2	45	4	
2HRBE 006 030 S04	0.3R X 0.6	0.6	3	45	4	
2HRBE 006 040 S04	0.3R X 0.6	0.6	4	45	4	
2HRBE 006 050 S04	0.3R X 0.6	0.6	5	45	4	
2HRBE 006 060 S04	0.3R X 0.6	0.6	6	45	4	
2HRBE 006 080 S04	0.3R X 0.6	0.6	8	45	4	
2HRBE 006 100 S04	0.3R X 0.6	0.6	10	45	4	
2HRBE 006 120 S04	0.3R X 0.6	0.6	12	45	4	
2HRBE 006 140 S04	0.3R X 0.6	0.6	14	45	4	
2HRBE 007 020 S04	0.35R X 0.7	0.7	2	45	4	
2HRBE 007 040 S04	0.35R X 0.7	0.7	4	45	4	
2HRBE 007 060 S04	0.35R X 0.7	0.7	6	45	4	



单位 : mm

Order Number	刃径 Diameter R · D	刃长 Length of cut L1	有效长 Effective Length L2	全长 Overall Length L	柄径 Shank Dia d	备注	Order Number	刃径 R · D	刃长 Length of cut L1	有效长 Effective Length L2	全长 Overall Length L	柄径 Shank Dia d	备注
2HRBE 007 080 S04	0.35R X 0.7	0.7	8	45	4		2HRBE 018 080 S04	0.9R X 1.8	1.8	8	45	4	
2HRBE 007 100 S04	0.35R X 0.7	0.7	10	45	4		2HRBE 018 120 S04	0.9R X 1.8	1.8	12	50	4	
2HRBE 007 120 S04	0.35R X 0.7	0.7	12	45	4		2HRBE 018 160 S04	0.9R X 1.8	1.8	16	50	4	
2HRBE 008 020 S04	0.4R X 0.8	0.8	2	45	4		2HRBE 018 200 S04	0.9R X 1.8	1.8	20	50	4	
2HRBE 008 030 S04	0.4R X 0.8	0.8	3	45	4		2HRBE 020 040 S04	1R X 2	2	4	45	4	
2HRBE 008 040 S04	0.4R X 0.8	0.8	4	45	4		2HRBE 020 060 S04	1R X 2	2	6	45	4	
2HRBE 008 050 S04	0.4R X 0.8	0.8	5	45	4		2HRBE 020 080 S04	1R X 2	2	8	45	4	
2HRBE 008 060 S04	0.4R X 0.8	0.8	6	45	4		2HRBE 020 100 S04	1R X 2	2	10	50	4	
2HRBE 008 080 S04	0.4R X 0.8	0.8	8	45	4		2HRBE 020 120 S04	1R X 2	2	12	50	4	
2HRBE 008 100 S04	0.4R X 0.8	0.8	10	45	4		2HRBE 020 140 S04	1R X 2	2	14	50	4	
2HRBE 008 120 S04	0.4R X 0.8	0.8	12	45	4		2HRBE 020 160 S04	1R X 2	2	16	50	4	
2HRBE 009 040 S04	0.45R X 0.9	0.9	4	45	4		2HRBE 020 180 S04	1R X 2	2	18	50	4	
2HRBE 009 060 S04	0.45R X 0.9	0.9	6	45	4		2HRBE 020 200 S04	1R X 2	2	20	50	4	
2HRBE 009 080 S04	0.45R X 0.9	0.9	8	45	4		2HRBE 020 220 S04	1R X 2	2	22	60	4	
2HRBE 009 100 S04	0.45R X 0.9	0.9	10	50	4		2HRBE 020 250 S04	1R X 2	2	25	60	4	
2HRBE 010 020 S04	0.5R X 1	1	2	45	4		2HRBE 020 300 S04	1R X 2	2	30	60	4	
2HRBE 010 030 S04	0.5R X 1	1	3	45	4		2HRBE 025 080 S04	1.25R X 2.5	2.5	8	45	4	
2HRBE 010 040 S04	0.5R X 1	1	4	45	4		2HRBE 025 100 S04	1.25R X 2.5	2.5	10	50	4	
2HRBE 010 050 S04	0.5R X 1	1	5	45	4		2HRBE 025 120 S04	1.25R X 2.5	2.5	12	50	4	
2HRBE 010 060 S04	0.5R X 1	1	6	45	4		2HRBE 025 160 S04	1.25R X 2.5	2.5	16	50	4	
2HRBE 010 080 S04	0.5R X 1	1	8	45	4		2HRBE 025 200 S04	1.25R X 2.5	2.5	20	60	4	
2HRBE 010 100 S04	0.5R X 1	1	10	50	4		2HRBE 025 250 S04	1.25R X 2.5	2.5	25	60	4	
2HRBE 010 120 S04	0.5R X 1	1	12	50	4		2HRBE 025 300 S04	1.25R X 2.5	2.5	30	70	4	
2HRBE 010 140 S04	0.5R X 1	1	14	50	4		2HRBE 030 060 S06	1.5R X 3	3	6	50	6	
2HRBE 010 160 S04	0.5R X 1	1	16	50	4		2HRBE 030 080 S06	1.5R X 3	3	8	50	6	
2HRBE 010 180 S04	0.5R X 1	1	18	50	4		2HRBE 030 100 S06	1.5R X 3	3	10	50	6	
2HRBE 010 200 S04	0.5R X 1	1	20	50	4		2HRBE 030 120 S06	1.5R X 3	3	12	50	6	
2HRBE 010 220 S04	0.5R X 1	1	22	60	4		2HRBE 030 160 S06	1.5R X 3	3	16	60	6	
2HRBE 010 250 S04	0.5R X 1	1	25	60	4		2HRBE 030 200 S06	1.5R X 3	3	20	60	6	
2HRBE 012 040 S04	0.6R X 1.2	1.2	4	45	4		2HRBE 030 250 S06	1.5R X 3	3	25	65	6	
2HRBE 012 060 S04	0.6R X 1.2	1.2	6	45	4		2HRBE 030 300 S06	1.5R X 3	3	30	70	6	
2HRBE 012 080 S04	0.6R X 1.2	1.2	8	45	4		2HRBE 030 350 S06	1.5R X 3	3	35	75	6	
2HRBE 012 100 S04	0.6R X 1.2	1.2	10	50	4		2HRBE 030 400 S06	1.5R X 3	3	40	80	6	
2HRBE 012 120 S04	0.6R X 1.2	1.2	12	50	4		2HRBE 030 450 S06	1.5R X 3	3	45	90	6	
2HRBE 012 160 S04	0.6R X 1.2	1.2	16	50	4		2HRBE 040 080 S06	2R X 4	4	8	50	6	
2HRBE 012 200 S04	0.6R X 1.2	1.2	20	50	4		2HRBE 040 100 S06	2R X 4	4	10	50	6	
2HRBE 012 240 S04	0.6R X 1.2	1.2	24	60	4		2HRBE 040 120 S06	2R X 4	4	12	50	6	
2HRBE 014 060 S04	0.7R X 1.4	1.4	6	45	4		2HRBE 040 160 S06	2R X 4	4	16	60	6	
2HRBE 014 080 S04	0.7R X 1.4	1.4	8	45	4		2HRBE 040 200 S06	2R X 4	4	20	60	6	
2HRBE 014 120 S04	0.7R X 1.4	1.4	12	50	4		2HRBE 040 250 S06	2R X 4	4	25	65	6	
2HRBE 014 160 S04	0.7R X 1.4	1.4	16	50	4		2HRBE 040 300 S06	2R X 4	4	30	70	6	
2HRBE 015 030 S04	0.75R X 1.5	1.5	3	45	4		2HRBE 040 350 S06	2R X 4	4	35	75	6	
2HRBE 015 040 S04	0.75R X 1.5	1.5	4	45	4		2HRBE 040 400 S06	2R X 4	4	40	80	6	
2HRBE 015 060 S04	0.75R X 1.5	1.5	6	45	4		2HRBE 040 450 S06	2R X 4	4	45	90	6	
2HRBE 015 080 S04	0.75R X 1.5	1.5	8	45	4		2HRBE 050 160 S06	2.5R X 5	6	16	60	6	
2HRBE 015 100 S04	0.75R X 1.5	1.5	10	50	4		2HRBE 050 200 S06	2.5R X 5	6	20	60	6	
2HRBE 015 120 S04	0.75R X 1.5	1.5	12	50	4		2HRBE 050 250 S06	2.5R X 5	6	25	70	6	
2HRBE 015 140 S04	0.75R X 1.5	1.5	14	50	4		2HRBE 050 300 S06	2.5R X 5	6	30	75	6	
2HRBE 015 160 S04	0.75R X 1.5	1.5	16	50	4		2HRBE 050 400 S06	2.5R X 5	6	40	80	6	
2HRBE 015 180 S04	0.75R X 1.5	1.5	18	50	4		2HRBE 050 500 S06	2.5R X 5	6	50	90	6	
2HRBE 015 200 S04	0.75R X 1.5	1.5	20	50	4		2HRBE 060 150 S06	3R X 6	10	15	55	6	
2HRBE 015 220 S04	0.75R X 1.5	1.5	22	60	4		2HRBE 080 250 060	4R X 8	12	25	60	8	
2HRBE 015 250 S04	0.75R X 1.5	1.5	25	60	4		2HRBE 100 300 070	5R X 10	16	30	70	10	
2HRBE 015 300 S04	0.75R X 1.5	1.5	30	70	4		2HRBE 120 300 075	6R X 12	18	30	75	12	
2HRBE 016 060 S04	0.8R X 1.6	1.6	6	45	4								
2HRBE 016 080 S04	0.8R X 1.6	1.6	8	45	4								
2HRBE 016 120 S04	0.8R X 1.6	1.6	12	50	4								
2HRBE 016 160 S04	0.8R X 1.6	1.6	16	50	4								
2HRBE 016 200 S04	0.8R X 1.6	1.6	20	50	4								
2HRBE 018 060 S04	0.9R X 1.8	1.8	6	45	4								
















### 2刃经济型 超硬圆鼻铣刀



• 中高硬度钢 (HRc~52), 预硬钢类、碳素钢、模具钢等, 多种材料加工用铣刀

- 含硅涂层处理, 耐磨性非常优秀。
- 采用R角的形象设计, 使刃部崩刀最小化。
- 因采用R角和有效长的多样化设计, 适合各种加工条件。
- 经济型铣刀可使加工成本大大降低。
- 采用高抗折力超微粒子超硬合金(0.5 μm), 使刃部崩刀最小化。

• **Endmills for various work materials(~HRc52), pre-hardened steel, carbon steel, mold steel.**

- Good wear resistance by high quality Si-based PVD coating.
- Designed for minimizing edge chipping by corner R shape.
- Various corner R and overall length for wide range application.
- Maximize the manufacturing cost saving with low price of products.
- Minimize fracturing by high TRS fine(0.5 μm) WC grade.




D Size	D Tolerance
φ1 ~ 5	+0 ~ -0.01mm
φ6 ~ 12	-0.005 ~ -0.015mm

单位: mm

Order Number	刃径 Diameter D · R	刃长 Length of cut L1	全长 Overall Length L	柄径 Shank Dia d	备注	Order Number	刃径 Diameter D · R	刃长 Length of cut L1	全长 Overall Length L	柄径 Shank Dia d	备注
2NCRE 010 001 S04	1 X R0.1	3	50	4		2NCRE 100 010 100	10 X R1	22	100	10	
2NCRE 010 002 S04	1 X R0.2	3	50	4		2NCRE 120 003 110	12 X R0.3	26	110	12	
2NCRE 010 003 S04	1 X R0.3	3	50	4		2NCRE 120 005 110	12 X R0.5	26	110	12	
2NCRE 015 001 S04	1.5 X R0.1	4	50	4		2NCRE 120 010 110	12 X R1	26	110	12	
2NCRE 015 002 S04	1.5 X R0.2	4	50	4		2NCRE 120 020 110	12 X R2	26	110	12	
2NCRE 015 003 S04	1.5 X R0.3	4	50	4							
2NCRE 015 005 S04	1.5 X R0.5	4	50	4							
2NCRE 020 001 S04	2 X R0.1	6	50	4							
2NCRE 020 002 S04	2 X R0.2	6	50	4							
2NCRE 020 003 S04	2 X R0.3	6	50	4							
2NCRE 020 005 S04	2 X R0.5	6	50	4							
2NCRE 025 001 S04	2.5 X R0.1	6	50	4							
2NCRE 025 002 S04	2.5 X R0.2	6	50	4							
2NCRE 025 003 S04	2.5 X R0.3	6	50	4							
2NCRE 025 005 S04	2.5 X R0.5	6	50	4							
2NCRE 030 001 S06	3 X R0.1	8	60	6							
2NCRE 030 002 S06	3 X R0.2	8	60	6							
2NCRE 030 003 S06	3 X R0.3	8	60	6							
2NCRE 030 005 S06	3 X R0.5	8	60	6							
2NCRE 030 010 S06	3 X R1	8	60	6							
2NCRE 040 001 S04	4 X R0.1	10	50	4							
2NCRE 040 001 S06	4 X R0.1	10	70	6							
2NCRE 040 002 S04	4 X R0.2	10	50	4							
2NCRE 040 002 S06	4 X R0.2	10	70	6							
2NCRE 040 003 S04	4 X R0.3	10	50	4							
2NCRE 040 003 S06	4 X R0.3	10	70	6							
2NCRE 040 005 S04	4 X R0.5	10	50	4							
2NCRE 040 005 S06	4 X R0.5	10	70	6							
2NCRE 040 010 S04	4 X R1	10	50	4							
2NCRE 040 010 S06	4 X R1	10	70	6							
2NCRE 050 001 S06	5 X R0.1	13	75	6							
2NCRE 050 002 S06	5 X R0.2	13	75	6							
2NCRE 050 003 S06	5 X R0.3	13	75	6							
2NCRE 050 005 S06	5 X R0.5	13	75	6							
2NCRE 050 010 S06	5 X R1	13	75	6							
2NCRE 060 002 080	6 X R0.2	13	80	6							
2NCRE 060 003 080	6 X R0.3	13	80	6							
2NCRE 060 005 080	6 X R0.5	13	80	6							
2NCRE 060 010 080	6 X R1	13	80	6							
2NCRE 080 003 090	8 X R0.3	19	90	8							
2NCRE 080 005 090	8 X R0.5	19	90	8							
2NCRE 080 010 090	8 X R1	19	90	8							
2NCRE 100 003 100	10 X R0.3	22	100	10							
2NCRE 100 005 100	10 X R0.5	22	100	10							

### 4刃经济型 超硬圆鼻铣刀



- 中高硬度钢 (HRc~52), 预硬钢类、碳素钢、模具钢等, 多种材料加工用铣刀
- 含硅涂层处理, 耐磨性非常优秀。
- 采用R角的外形设计, 使刃部崩刀最小化。
- 因采用R角和有效长的多样化设计, 适合各种加工条件。
- 经济型铣刀可使加工成本大大降低。
- 采用高抗折力超微粒子超硬合金(0.5 $\mu$ m),使刃部最小化。
- **Endmills for various work materials(-HRc52), pre-hard ened steel, carbon steel, mold steel.**
- Good wear resistance by high quality Si-based PVD coating.
- Designed for minimizing edge chipping by corner R shape.
- Various corner R and overall length for wide range application.
- Maximize the manufacturing cost saving with low price of products.
- Minimize fracturing by high TRS fine(0.5 $\mu$ m) WC grade.

4

WC  
미립자

BLUE  
Coating

R  
 $\pm 0.005$

R  
 $\pm 0.01$

R  
 $\pm 0.015$

D  
 $+0 -0.01$

D  
 $-0.005 -0.015$


30°  
Helix Angle

D Size	D Tolerance
$\varnothing 1 \sim 5$	+0 ~ -0.01mm
$\varnothing 6 \sim 12$	-0.005 ~ -0.015mm

单位: mm

Order Number	刃径 Diameter D · R	刃长 Length of cut L1	全长 Overall Length L	柄径 Shank Dia d	备注	Order Number	刃径 Diameter D · R	刃长 Length of cut L1	全长 Overall Length L	柄径 Shank Dia d	备注
4NCRE 010 001 S04	1 X R0.1	3	50	4		4NCRE 050 002 075	5 X R0.2	13	75	6	
4NCRE 010 002 S04	1 X R0.2	3	50	4		4NCRE 050 003 S06	5 X R0.3	10	50	6	
4NCRE 010 003 S04	1 X R0.3	3	50	4		4NCRE 050 003 075	5 X R0.3	13	75	6	
4NCRE 015 001 S04	1.5 X R0.1	4	50	4		4NCRE 050 005 S06	5 X R0.5	10	50	6	
4NCRE 015 002 S04	1.5 X R0.2	4	50	4		4NCRE 050 005 075	5 X R0.5	13	75	6	
4NCRE 015 003 S04	1.5 X R0.3	4	50	4		4NCRE 050 010 S06	5 X R1	10	50	6	
4NCRE 015 005 S04	1.5 X R0.5	4	50	4		4NCRE 050 010 075	5 X R1	13	75	6	
4NCRE 020 001 S04	2 X R0.1	6	50	4		4NCRE 060 001 050	6 X R0.1	10	50	6	
4NCRE 020 002 S04	2 X R0.2	6	50	4		4NCRE 060 001 080	6 X R0.1	13	80	6	
4NCRE 020 003 S04	2 X R0.3	6	50	4		4NCRE 060 002 050	6 X R0.2	10	50	6	
4NCRE 020 005 S04	2 X R0.5	6	50	4		4NCRE 060 002 080	6 X R0.2	13	80	6	
4NCRE 025 001 S04	2.5 X R0.1	6	50	4		4NCRE 060 003 050	6 X R0.3	10	50	6	
4NCRE 025 002 S04	2.5 X R0.2	6	50	4		4NCRE 060 003 080	6 X R0.3	13	80	6	
4NCRE 025 003 S04	2.5 X R0.3	6	50	4		4NCRE 060 005 050	6 X R0.5	10	50	6	
4NCRE 025 005 S04	2.5 X R0.5	6	50	4		4NCRE 060 005 080	6 X R0.5	13	80	6	
4NCRE 030 001 S04	3 X R0.1	8	50	4		4NCRE 060 010 050	6 X R1	10	50	6	
4NCRE 030 001 S06	3 X R0.1	8	50	6		4NCRE 060 010 080	6 X R1	13	80	6	
4NCRE 030 001 060	3 X R0.1	8	60	6		4NCRE 080 002 060	8 X R0.2	16	60	8	
4NCRE 030 002 S04	3 X R0.2	8	50	4		4NCRE 080 002 090	8 X R0.2	19	90	8	
4NCRE 030 002 S06	3 X R0.2	8	50	6		4NCRE 080 003 060	8 X R0.3	16	60	8	
4NCRE 030 002 060	3 X R0.2	8	60	6		4NCRE 080 003 090	8 X R0.3	19	90	8	
4NCRE 030 003 S04	3 X R0.3	8	50	4		4NCRE 080 005 060	8 X R0.5	16	60	8	
4NCRE 030 003 S06	3 X R0.3	8	50	6		4NCRE 080 005 090	8 X R0.5	19	90	8	
4NCRE 030 003 060	3 X R0.3	8	60	6		4NCRE 080 010 060	8 X R1	16	60	8	
4NCRE 030 005 S04	3 X R0.5	8	50	4		4NCRE 080 010 090	8 X R1	19	90	8	
4NCRE 030 005 S06	3 X R0.5	8	50	6		4NCRE 080 020 060	8 X R2	16	60	8	
4NCRE 030 005 060	3 X R0.5	8	60	6		4NCRE 080 020 090	8 X R2	19	90	8	
4NCRE 030 010 S04	3 X R1	8	50	4		4NCRE 100 002 075	10 X R0.2	18	75	10	
4NCRE 030 010 S06	3 X R1	8	50	6		4NCRE 100 002 100	10 X R0.2	22	100	10	
4NCRE 030 010 060	3 X R1	8	60	6		4NCRE 100 003 075	10 X R0.3	18	75	10	
4NCRE 040 001 S04	4 X R0.1	10	50	4		4NCRE 100 003 100	10 X R0.3	22	100	10	
4NCRE 040 001 S06	4 X R0.1	10	50	6		4NCRE 100 005 075	10 X R0.5	18	75	10	
4NCRE 040 001 070	4 X R0.1	10	70	6		4NCRE 100 005 100	10 X R0.5	22	100	10	
4NCRE 040 002 S04	4 X R0.2	10	50	4		4NCRE 100 010 075	10 X R1	18	75	10	
4NCRE 040 002 S06	4 X R0.2	10	50	6		4NCRE 100 010 100	10 X R1	22	100	10	
4NCRE 040 002 070	4 X R0.2	10	70	6		4NCRE 100 020 075	10 X R2	18	75	10	
4NCRE 040 003 S04	4 X R0.3	10	50	4		4NCRE 100 020 100	10 X R2	22	100	10	
4NCRE 040 003 S06	4 X R0.3	10	50	6		4NCRE 120 002 075	12 X R0.2	22	75	12	
4NCRE 040 003 070	4 X R0.3	10	70	6		4NCRE 120 002 110	12 X R0.2	26	110	12	
4NCRE 040 005 S04	4 X R0.5	10	50	4		4NCRE 120 003 075	12 X R0.3	22	75	12	
4NCRE 040 005 S06	4 X R0.5	10	50	6		4NCRE 120 003 110	12 X R0.3	26	110	12	
4NCRE 040 005 070	4 X R0.5	10	70	6		4NCRE 120 005 075	12 X R0.5	22	75	12	
4NCRE 040 010 S04	4 X R1	10	50	4		4NCRE 120 005 110	12 X R0.5	26	110	12	
4NCRE 040 010 S06	4 X R1	10	50	6		4NCRE 120 010 075	12 X R1	22	75	12	
4NCRE 040 010 070	4 X R1	10	70	6		4NCRE 120 010 110	12 X R1	26	110	12	
4NCRE 050 001 S06	5 X R0.1	10	50	6		4NCRE 120 020 075	12 X R2	22	75	12	
4NCRE 050 001 075	5 X R0.1	13	75	6		4NCRE 120 020 110	12 X R2	26	110	12	
4NCRE 050 002 S06	5 X R0.2	10	50	6							

## 4刃经济型 高速大进给 圆鼻铣刀



• 中高硬度钢 (HRc~52), 预硬钢类高精度加工用铣刀

- 含硅涂层处理, 耐磨性非常优秀。
- 低RPM条件下, 可实现大进给作业。
- 中加工或粗加工时, 作业效率极大化。
- 经济型铣刀可使加工成本大大降低。
- 采用高抗折力超微粒子超硬合金, 高速加工时, 防止崩刀。

• Endmills for various work materials(~HRc52), pre-hardened steel, carbon steel, mold steel.

- Good wear resistance by high quality Si-based PVD coating.
- Designed for low speed with high feed condition.
- Suitable for heavy duty and roughing application.
- Minimize fracturing at high feed by high TRS ultra fine WC grade.



D Size	D Tolerance
φ1 ~ 5	+0 ~ -0.01mm
φ6 ~ 12	-0.005 ~ -0.015mm

单位: mm

Order Number	刃径 Diameter D · R	刃长 Length of cut L1	有效长 Effective Length L2	全长 Overall Length L	柄径 Shank Dia d	备注	Order Number	刃径 Diameter D · R	刃长 Length of cut L1	有效长 Effective Length L2	全长 Overall Length L	柄径 Shank Dia d	备注
4RCUE 010 002 025	1 X R0.2	0.75	2.5	50	4								
4RCUE 015 005 040	1.5 X R0.5	1.2	4	50	4								
4RCUE 020 005 060	2 X R0.5	1.5	6	50	6								
4RCUE 030 005 080	3 X R0.5	2.3	8	50	6								
4RCUE 040 005 120	4 X R0.5	3	12	60	6								
4RCUE 040 005 160	4 X R0.5	3	16	60	6								
4RCUE 040 010 120	4 X R1	3	12	60	6								
4RCUE 040 010 160	4 X R1	3	16	60	6								
4RCUE 050 005 150	5 X R0.5	4	15	60	6								
4RCUE 050 010 150	5 X R1	4	15	60	6								
4RCUE 060 005 150	6 X R0.5	4.5	15	60	6								
4RCUE 060 005 250	6 X R0.5	4.5	25	80	6								
4RCUE 060 010 150	6 X R1	4.5	15	60	6								
4RCUE 060 010 250	6 X R1	4.5	25	80	6								
4RCUE 060 015 150	6 X R1.5	4.5	15	60	6								
4RCUE 060 015 250	6 X R1.5	4.5	25	80	6								
4RCUE 080 005 200	8 X R0.5	6	20	60	8								
4RCUE 080 005 300	8 X R0.5	6	30	90	8								
4RCUE 080 010 200	8 X R1	6	20	60	8								
4RCUE 080 010 300	8 X R1	6	30	90	8								
4RCUE 080 020 200	8 X R2	6	20	60	8								
4RCUE 080 020 300	8 X R2	6	30	90	8								
4RCUE 100 005 250	10 X R0.5	7.5	25	70	10								
4RCUE 100 005 400	10 X R0.5	7.5	40	100	10								
4RCUE 100 010 250	10 X R1	7.5	25	70	10								
4RCUE 100 010 400	10 X R1	7.5	40	100	10								
4RCUE 100 020 250	10 X R2	7.5	25	70	10								
4RCUE 100 020 400	10 X R2	7.5	40	100	10								
4RCUE 120 005 300	12 X R0.5	9	30	80	12								
4RCUE 120 005 400	12 X R0.5	9	40	100	12								
4RCUE 120 010 300	12 X R1	9	30	80	12								
4RCUE 120 010 400	12 X R1	9	40	100	12								
4RCUE 120 020 300	12 X R2	9	30	80	12								
4RCUE 120 020 400	12 X R2	9	40	100	12								
4RCUE 120 030 300	12 X R3	9	30	80	12								

韩国·首尔

330-16, Docksan-1dong, Guemcheon-gu,  
Seoul, 153-010, Korea Tel. +82.2.808.2745  
Fax. +82.2.808.2746

中国·上海

Tel. 021.6405.1112 Fax. 021.6405.2752



ISO 9001



ISO 14001

韩国匠精工具均获得国际品质标准  
ISO品质经营认证和环境标准认证。